

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	187	(real-time adj emulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:26
L2	33	1 and (simulation with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:32
L3	287	(simulation adj clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:32
L4	78	3 and (real-time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:32
L5	6	4 and API	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:36
L6	72	4 not 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:36
L7	17	("5375074" "5440719" "5794128" "5828867" "5832272" "5850538" "5956261").PN. OR ("6134514").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/27 10:46

EAST Search History

L8	21	("4669113" "4792913" "4979118" "5197127" "5317525" "5440719" "5481484" "5537468" "5561841" "5583792" "5701439" "5794005" "5809282" "5828867" "5881237" "6081843" "6134514" "6393386" "6442141" "6466925").PN. OR ("6820042").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/27 11:15
L9	18	(opnet and technologies).as.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 11:40
L10	3315	(event with clock) and real-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 11:41
L11	202	(event with (call adj back)) and real-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 11:41
L12	0	11 and (real-time adj simulator)	USPAT	OR	OFF	2007/02/27 11:42
L13	0	11 and (real-time with simulator)	USPAT	OR	OFF	2007/02/27 11:42
L14	0	11 and (real-time with simulat\$5)	USPAT	OR	OFF	2007/02/27 11:42
L15	25	11 and real-time and simulat\$5	USPAT	OR	ON	2007/02/27 11:42

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6820042").PN.	USPAT	OR	OFF	2007/02/27 12:55
S2	0	S1 and (simulation adj clock)	USPAT	OR	OFF	2007/02/27 12:54
S3	0	S1 and (simulation with clock)	USPAT	OR	OFF	2007/02/27 12:54
S4	65	continuous and (real-time or (real adj time)) and simulator and synchronization and clock and event and advancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:57

2-27-2007



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+ "Absolute clock"

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used Absolute clock

Found 2 of 198,146

Sort results by relevance

Save results to a Binder

Try an [Advanced Search](#)

Display results expanded form

Search Tips

Try this search in [The ACM Guide](#)

Open results in a new window

Results 1 - 2 of 2

Relevance scale



1 Duration calculus in COOZ

Xiaodong Yuan, Jiajun Chen, Guoliang Zheng
May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: [pdf\(106.53 KB\)](#) Additional Information: [full citation](#), [index terms](#)



2 Microarchitectural techniques for power reduction: Improved clock-gating through transparent pipelining

Hans M. Jacobson
August 2004 **Proceedings of the 2004 international symposium on Low power electronics and design ISLPED '04**

Publisher: ACM Press

Full text available: [pdf\(97.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



This paper re-examines the well established clocking principles of pipelines. It is observed that clock gating techniques that have long been assumed optimal in reality produce a significant amount of redundant clock pulses. The paper presents a new theory for optimal clocking of synchronous pipelines, presents practical implementations and evaluates the clock power benefits on a multiply/add-accumulate unit design. Transistor level simulations show that dynamic clock power dissipation can be reduced ...

Keywords: adaptive pipeline depth, circuits, clock gating, dynamic pipeline scaling, high performance, low power, microarchitecture, optimal pipeline clocking, pipeline stage unification, transparent pipeline

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

2-27-2007



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+ "simulation clock" + real-time

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **simulation clock real time**

Found 223 of 223

Sort results
by

relevance

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display
results

expanded form

[Search Tips](#)

[Try this search in The ACM Guide](#)

Open results in a new
window

Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 [Looking ahead of real time in Hybrid component networks](#)

Kaixin Xu, Mineo Takai, Jay Martin, Rajive Bagrodia

May 2001 **Proceedings of the fifteenth workshop on Parallel and distributed simulation PADS '01**

Publisher: IEEE Computer Society

Full text available: [pdf\(677.85 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

[Publisher Site](#)

[terms](#)

While network simulation is a widely used technique for developing, testing and evaluating network protocols and applications, it is difficult and time-consuming to develop detailed models of the entire protocol stack and the application that is being evaluated. Hybrid component networks combine simulation models of protocols and applications with physical implementations of other protocols and/or applications, which can alleviate modeling complexity and build accurate models. However, hyb ...

2 [Requirements for transitioning business process simulation models to real-time operational systems](#)

Peter Floss

December 1997 **Proceedings of the 29th conference on Winter simulation WSC '97**

Publisher: ACM Press, IEEE Computer Society

Full text available: [pdf\(475.84 KB\)](#) Additional Information: [full citation](#), [references](#), [index](#) [terms](#)

3 [Simulation-based real-time scheduling: review of recent developments](#)

Catherine M. Harmonosky

December 1995 **Proceedings of the 27th conference on Winter simulation WSC '95**

Publisher: ACM Press, IEEE Computer Society

Full text available: [pdf\(606.30 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#) [terms](#)

With increased usage of computer monitoring of the factory has come increased industrial and academic interest in developing more science-based real-time scheduling techniques. Simulation, best known for its application during system design or modification, is also being considered for use on day-to-day scheduling problems. This paper reviews recent developments using simulation as a tool in real-time scheduling.

2-27-2007



simulation author:kubischta

Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles Recent articles Results 1 - 10 of about 18 for simulation author:kubischta. (0.08 sec)

[All Results](#)

[kubischta](#)

[A Lai](#)

[W Kubischta](#)

[A Ceccucci](#)

[D Cundy](#)

[A Gonidec](#)

Measurement of the decay rate and form factor parameter a in - group of 4 »

... , G Govi, P Grafstrom, W **Kubischta**, A Lacourt, S ... - Physics Letters B, 1999 - na48.web.cern.ch

Page 1. 15 July 1999 Ź . Physics Letters B 458 1999 553–563 Measurement of the decay rate and form factor parameter a in) K the decay K ^Tme q e y g L ...

Cited by 21 - Related Articles - View as HTML - Web Search

A precise measurement of the direct CP violation parameter Re (ε/ε) - group of 14 »

... , G Govi, P Grafstrom, W **Kubischta**, A Lacourt, M ... - Eur. Phys. J. C, 2001 - publish.edpsciences.org

... remaining differences in beam divergences and beam geometries are corrected us- ing Monte Carlo **simulation**. The small difference ...

Cited by 105 - Related Articles - Web Search - BL Direct

Wireless network emulation for distributed processing systems - group of 2 »

RJ Wellington, MD **Kubischta** - Military Communications Conference, 2003. MILCOM 2003. IEEE, 2003 - ieeexplore.ieee.org

... With compatible **simulations** and emulations, system development can progress naturally through functional design, system **simulation**, node prototyping, and ...

Cited by 2 - Related Articles - Web Search - BL Direct

A measurement of the transverse polarization of \$\\Lambda\$-hyperons produced in inelastic pN- ... - group of 10 »

... A Gonidec, P Grafstrom, W **Kubischta**, V Marzulli, G ... - Eur. Phys. J. C, 1999 - publish.edpsciences.org

... In this **simulation** exactly two reconstructed tracks hit the hodoscope in two diagonally opposite quadrants and the energy in the calorimeter was greater than ...

Cited by 7 - Related Articles - Web Search - BL Direct

[PS] Search for the decay $K_S \rightarrow \pi$

... , G Govi, P Grafström, W **Kubischta**, A Lacourt, M ... - Physics Letters B, 2001 - hep.fi.infn.it

... channel. A detector **simulation** based on Geant 3.21 [7] was used throughout this analysis. 3. Data analysis 3.1. Event selection ...

Cited by 3 - Related Articles - View as HTML - Web Search

Measurement of $K_0 e3$ form factors - group of 3 »

... , G Govi, P Grafstrom, W **Kubischta**, A Lacourt, A ... - Arxiv preprint hep-ex/0410065, 2004 - arxiv.org

... A more detailed description of the NA48 setup can be found elsewhere [11]. 3 Data processing and Monte Carlo **simulation** 3.1 Trigger and data taking ...

Cited by 1 - Related Articles - View as HTML - Web Search

Search for CP violation in $K_0 \rightarrow 3\pi^0$ decays - group of 4 »

... , B Gorini, P Grafstrom, W **Kubischta**, A Lacourt, I ... - Arxiv preprint hep-ex/0408053, 2004 - arxiv.org

2-27-07



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

non real-time simulator

SEARCH

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **non real time simulator**

Found 34,436 of 1,011,750

Sort results by **relevance**

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results **expanded form**

[Search Tips](#)

[Try this search in The Digital Library](#)

[Open results in a new window](#)

Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 Priority assignment in real-time active databases

Rajendran M. Sivasankaran, John A. Stankovic, Don Towsley, Bhaskar Purimetla, Krithi Ramamirtham

January 1996 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 5 Issue 1

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(634.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Active databases and real-time databases have been important areas of research in the recent past. It has been recognized that many benefits can be gained by integrating real-time and active database technologies. However, not much work has been done in the area of transaction processing in real-time active databases. This paper deals with an important aspect of transaction processing in real-time active databases, namely the problem of assigning priorities to transactions. In these systems, tim ...

Keywords: Active databases - Coupling mode - Deadlines - ECA - Priority assignment - Real-time databases

2 Investigation of non-interference real-time debugging through bus cycle simulation and interpretation

T. R. Cahall, K. Y. Fang

December 1987 **Proceedings of the 1987 Fall Joint Computer Conference on Exploring technology: today and tomorrow ACM '87**

Publisher: IEEE Computer Society Press

Full text available: [pdf\(777.10 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In the recent decade, software development and debugging advancements have been greatly outpaced by the advancements in hardware design and integration. The largest portion of time spent in software development is testing and debugging. Symbolic debuggers, syntax directed editors, and high level language oriented breakpoint systems have helped reduce the time spent by software developers in debugging their programs. This is not the case for timing and load sensitive real-time software. Conv ...

3 Invited papers: ACROE - ICA: artistic creation and computer interactive multisensory simulation force feedback gesture transducers

Claude Cadoz, Annie Luciani, Jean-Loup Florens, Nicolas Castagné

May 2003 **Proceedings of the 2003 conference on New interfaces for musical**

2-22-07



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((simulation and modeling<in>metadata) <and> (non real-time<in>metadata))"

[e-mail](#)

Your search matched 60 of 1513808 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» [Search Options](#)

[View Session History](#)

[New Search](#)

» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Modify Search](#)

((simulation and modeling<in>metadata) <and> (non real-time<in>metadata))

[Search](#)

Check to search only within this results set

Display Format: Citation Citation & Abstract

[view selected items](#) [Select All](#) [Deselect All](#)

View: 1-

1. **Performance analysis of a preemptive and priority reservation handoff scheme in integrated service-based wireless mobile networks**
Jingao Wang; Qing-An Zeng; Agrawal, D.P.;
[Mobile Computing, IEEE Transactions on](#)
Volume 2, Issue 1, Jan.-March 2003 Page(s):65 - 75
Digital Object Identifier 10.1109/TMC.2003.1195152

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(2219 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

2. **Quality-of-Service degradation strategies in multimedia wireless network**
Sen, S.; Jawanda, J.; Basu, K.; Das, S.;
[Vehicular Technology Conference, 1998. VTC 98. 48th IEEE](#)
Volume 3, 18-21 May 1998 Page(s):1884 - 1888 vol.3
Digital Object Identifier 10.1109/VETEC.1998.686083

[AbstractPlus](#) | [Full Text: PDF\(500 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

3. **Propulsion directorate/control and engine health management (CEHM): requirements and engine simulation**
Curry, T.; Behbahani, A.;
[Aerospace Conference, 2004. Proceedings. 2004 IEEE](#)
Volume 5, 6-13 March 2004 Page(s):3414 - 3423 Vol.5
Digital Object Identifier 10.1109/VETEC.1998.686083

[AbstractPlus](#) | [Full Text: PDF\(530 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

4. **A novel mobility model and resource reservation strategy for multimedia networks**
Hoang Nam Nguyen; Olariu, S.; Todorova, P.;
[Wireless Communications and Networking Conference, 2002. WCNC2002. 2002](#)
Volume 2, 17-21 March 2002 Page(s):832 - 836 vol.2
Digital Object Identifier 10.1109/WCNC.2002.993376

[AbstractPlus](#) | [Full Text: PDF\(345 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

5. **QoS analysis in mobile cellular networks supporting voice and class of service**
Mahdavi, M.; Edwards, R.M.; Ivey, P.A.;
[Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th](#)
Volume 4, 7-11 Oct. 2001 Page(s):2692 - 2697 vol.4

2-27-07



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((simulator<in>metadata) <and> (non real-time<in>metadata))<and> (clo..."

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

[» Search Options](#)

[View Session History](#)

[Modify Search](#)

[New Search](#)

Check to search only within this results set

Display Format: Citation Citation & Abstract

[» Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

Z-27-07



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(simulation<in>metadata) <and> (non real-time<in>metadata) <and> (re..."

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» [Search Options](#)

[View Session History](#)

[Modify Search](#)

[New Search](#)

((simulation<in>metadata) <and> (non real-time<in>metadata) <and> (real-time))

Check to search only within this results set

» [Key](#)

Display Format: Citation Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

Z-27-07



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((real-time clock<in>metadata) <and> (non real-time<in>metadata))"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

[» Search Options](#)

[View Session History](#)

[Modify Search](#)

[New Search](#)

((real-time clock<in>metadata) <and> (non real-time<in>metadata))

Check to search only within this results set

[» Key](#)

Display Format: Citation Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

2-27-07

dwin.craig@gmail.com | Search History | My Account | Sign out

Google

Web Images Video News Maps more »

"real-time clock" "non real-time"

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 12,400 for "real-time clock" "non real-time". (0.39 seconds)

[PDF] [The real-time specification for java - Computer](#)

File Format: PDF/Adobe Acrobat

tional from real-time to **non-real-time**. NHRTs typically use the write (real-time) operation; ... RealtimeClock(), represents the **real-time clock** and ...

ieeexplore.ieee.org/iel5/2/18367/00846318.pdf?arnumber=846318 - [Similar pages](#)

[PDF] [An IEEE1394-based Real-Time Distributed IPC System for ...](#)

File Format: PDF/Adobe Acrobat

automatically by a **real-time clock** when a given timing constraint; called AAC (Autonomous ... isochronous messages because **non-real-time** messages are ...

ieeexplore.ieee.org/iel5/10852/34193/01630514.pdf - [Similar pages](#)

[Hypertext Ada 95 Rationale - Part Three - Chapter D](#)

... existing practice and other (**non-real-time**) requirements for a standard clock ... It is desirable to utilize one timer to implement the **real-time clock**, ...

www.adac.org/standards/95rat/RAThtml/rat95-p3-d.html - 155k - [Cached](#) - [Similar pages](#)

[PDF] [Middleware for Real-Time Distributed Simulations](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

described, and its performance compared against a **non-real-time** implementation. ...

execute asynchronously, one can use a **real-time clock** to schedule LBTS ...

www.cc.gatech.edu/ccg/paper_of_week/NextGen-final.pdf - [Similar pages](#)

[Shielded CPUs: Real-Time Performance in Standard Linux | Linux Journal](#)

... and because they occur at unpredictable points in time, **non-real-time** ... This test was chosen because it uses the **Real Time Clock** (RTC) driver, ...

www.linuxjournal.com/article/6900 - 32k - [Cached](#) - [Similar pages](#)

[PDF] [LJ2 \(Page 1\)](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

they occur at unpredictable points in time, **non-real-time**. interrupts can cause significant ...

chosen because it uses the **Real Time Clock** (RTC) driver, a ...

www.ccur.com/isddocs/ShieldedCPUS_LinuxJournalreprint.pdf - [Similar pages](#)

[Testing Real-Time Linux](#)

... of a 120 MHz Pentium with Linux kernel 2.0.29 (standard or Non Real-Time Linux), ... In RT-Linux (see code) the provided **real time clock** is used to ...

www.fisica.unlp.edu.ar/rt/ - 6k - [Cached](#) - [Similar pages](#)

[PDF] [Monitoring and Debugging Distributed Real-time Programs](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

real-time clock or altering timeout values during monitoring operations, ... on a **non-real-time** workstation outside the HARTS system, each monitor processor ...

www.cs.ucr.edu/~ravi/Papers/Jrnl/dodd-spe.pdf - [Similar pages](#)

[Real-Time Systems Products for Embedded Computing](#)

... using **non Real-Time** operating Systems such as Windows or Linux. ... keyboard and PS/2 mouse controllers, **Real-Time clock**, and watch dog timer ...

www.embedded-computing.com/products/search/index.php?

max=40&skip=0&op=ew&q=Real-Time+Systems - 74k - [Cached](#) - [Similar pages](#)